

L Number	Hits	Search Text	DB	Time stamp
1	9	(5528595.URPN. and @ad<20001207) and (hash\$ or "CHAP " or "authentication protocol")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 13:31
2	8	((("5881234") or ("5898780") or ("6009103") or ("6073242"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 13:33
3	3	((("5881234") or ("5898780") or ("6009103") or ("6073242"))).PN.) and ((name or ID or identif\$5 or number or serial or address) with (provider or distributor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 13:34
4	11	((access\$5 or entr\$5 or login or proxy or authenticat\$5) with (protocol or protocol)) and ((user or client or customer ) with (ID or identif\$5)) and (CHAP or "handshake authentication") and ((roam\$5 or mov\$5 or portable or transportable or remot\$5) with (dial\$5 or connect\$5 or call\$% or pag\$5) with (access\$5 or entr\$5 or login or proxy or authenticat\$5)) and ((access\$5 or entr\$5 or login or proxy or authenticat\$5) with RADIUS) and ((home or local or region) with (provid\$5 or company or distribut\$5)) and ((confirm\$5 or accept\$5) with (access\$5 or entr\$5 or login or proxy or authenticat\$5)) and ((server or host or mainframe or master) with (database or list or spreadsheet or file) with (provid\$5 or company or distribut\$5)) and ((access\$5 or entr\$5 or login or proxy or authenticat\$5) with (configurat\$5 or predetermin\$5 or "set-up" or set\$% or arrangement or form or specific)) and ((roam\$5 or mov\$5 or portable or transportable or remot\$5) with (user or client or customer ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 13:35
8	28	6151628.URPN.	USPAT	2004/05/21 13:37